
May 8, 2024

Mr. Kevin Piel
Fox C-6 School District
745 Jeffco Boulevard
Arnold, MO 63010

RE: Drinking Water Sampling – Meramac Heights Elementary
1340 W. Outer 21 Road, Arnold, MO 63010
Project Number: 923294

Mr. Kevin Piel,

OCCU-TEC, Inc. (OCCU-TEC) is pleased to present the following report for drinking water sampling completed at Meramac Heights Elementary in Arnold, Missouri. The sampling was requested and approved by Mr. Kevin Piel of Fox School District (FSD). OCCU-TEC completed drinking water sampling of all potential drinking water sources, sources used in food preparation, cleaning, and utensil cleaning. Drinking water sampling was completed in accordance with the requirements set forth in Missouri Senate Bill #681/662 known as the "Get the Lead Out of School Drinking Water Act".

METHODOLOGY

On March 26, 2024, Mr. Jay Hurst of OCCU-TEC completed testing of seventy-three (73) sources throughout Meramac Heights Elementary. Samples were collected as 'First Draw' samples after the fixtures had remained unused for a minimum period of 8 hours. Samples were collected in dedicated 250 milliliter laboratory-provided plastic sample containers. Sample location information and photographic documentation are noted in the attached table.

Samples were shipped to Teklab, Inc. (Teklab) of Collinsville, Illinois for analysis using EPA method 200.8. Teklab is approved for sample analysis by the Missouri Department of Natural Resources (MDNR) under certification number 00930. A copy of the laboratory analytical results and Chain of Custody documentation are attached to this report.

RESULTS

Samples results were compared to the regulatory limit of 5 parts per billion (ppb) outlined in Missouri Senate Bill 681/662. Of the samples collected, thirteen (13) of the seventy-three (73) contained lead concentrations at or above 5 ppb. Below is a list of samples containing elevated concentrations of lead. Additionally, some sources were not functional at the time of sampling. Non-functional sources are included in the list below and should be sampled prior to returning to service.

Sample ID	Location	Type	Result (ug/L)
294-MHE-02	Kitchen Dish Area	Sink	5.4
294-MHE-18	Room 105	Drinking Fountain Bubbler	NA
294-MHE-20	Hall Outside Room 106	Drinking Fountain Bubbler	NA
294-MHE-22	Room 103	Drinking Fountain Bubbler	NA
294-MHE-23	Room 103	Sink	8.2
294-MHE-27	Room 104	Drinking Fountain Bubbler	NA
294-MHE-31	Room 110	Drinking Fountain Bubbler	NA
294-MHE-32	Room 110	Sink	22.5
294-MHE-39	Room 115	Drinking Fountain Bubbler	6.3
294-MHE-41	Room 113	Drinking Fountain Bubbler	NA
294-MHE-43	Room 109	Drinking Fountain Bubbler	152
294-MHE-67	Boy's Bathroom BR3	Handwashing Sink	40.7
294-MHE-69	South Vestibule	Drinking Fountain Bubbler	18.8
294-MHE-72	Room 209	Sink Sprayer	<4.0
294-MHE-73	Room 205	Sink	306
294-MHE-74	Room 205	Sink	330
294-MHE-75	Room 205	Sink	71.9
294-MHE-76	Hall by Library	Drinking Fountain Bubbler	53.5
294-MHE-79	Room 110	Drinking Fountain Bubbler	NA
294-MHE-80	Room 110	Sink	6.9

LIMITATIONS

At the request of FSD, custodial closet sinks were excluded from sampling. In accordance with the requirements set forth in Missouri Bill 681/662, all sources not sampled during this assessment should be labeled to indicate that the source is not to be used for drinking water.

RECOMMENDATIONS

The following recommendations are in accordance with Senate Bill 681/662:

In accordance with the requirements set forth in Missouri Bill 681/662, fixtures exhibiting lead concentrations above 5 ppb must be remediated by replacement of lead-containing pipes, solder, fittings or fixtures with lead-free components, or the school shall install filtration at each point where water enters

the building until such time as the source can be remediated. If installing a filter is not feasible, the school shall provide purified water at each outlet inventoried.

Additionally, any water coolers or drinking water outlets identified by the United States Environmental Protection Agency (EPA) as not being lead-free under the federal Lead Contamination Control Act of 1988 shall be replaced unless the unit has been tested and determined to have lead results under 5 ppb.

Within two weeks after receiving test results, the school shall make all testing results and any lead remediation plans available on the school's website. The school shall notify parents and staff via written notification within seven (7) business days after receiving test results exceeding 5 ppb. The notification shall include the following:

- Test results and a summary explaining the results.
- A description of any remedial steps taken.
- A description of the general health effects of lead contamination and community specific resources.
- Provide bottled water if there is not enough water to meet the drinking water needs of the students, teachers, and staff.

For fixtures exhibiting results above 5 ppb, follow up random "Flush" sampling shall be conducted annually on at least 25 percent of the remediated outlets until all outlets have been remediated. Drinking water sampling shall be conducted annually and annual drinking water test results shall be submitted by the district to the Department of Health and Senior Services (MDHSS).

SIGNATURE(S)

OCCU-TEC appreciates the opportunity to provide the above-referenced consulting services to FSD. If you have any questions regarding the contents of this report, please contact us at (816) 231-5580.

Respectfully,



Kevin Heriford
Director EH&S Dept.





Brittany Dickmeyer
Safety Specialist


ATTACHMENTS

Outlet Inventory with Analytical Results Summary
Laboratory Analytical Results and COC Documentation


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-01	Location:	Kitchen Dish Area	
Photo:		Manufacturer:	Unknown	
		Description:		
		Left sink		
		Result:	1.8	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-02	Location:	Kitchen Dish Area	
Photo:		Manufacturer:	Unknown	
		Description:		
		Right sink		
		Result:	5.4	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Replace Fixture/Unit and Resample		

ID:	294-MHE-03	Location:	Kitchen Dish Area	
Photo:		Manufacturer:	T&S Brass	
		Description:		
		Kitchen Dish Sprayer		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-04	Location:	Kitchen	
Photo:		Manufacturer:	Unknown	
		Description:		
		Kettle Pot Filler		
		Result:	2.1	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-05	Location:	Kitchen	
Photo:		Manufacturer:	Unknown	
		Description:		
		Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-06	Location:	Kitchen Restroom	
Photo:		Manufacturer:	Unknown	
		Description:		
		Handwashing Sink		
		Result:	1.5	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-07	Location:	Cafeteria	
Photo:		Manufacturer:	Elkay	
		Description:		
		Left drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-08	Location:	Cafeteria	
Photo:		Manufacturer:	Elkay	
		Description:		
		Right drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-09	Location:	Cafeteria	
Photo:		Manufacturer:	Elkay	
		Description:		
		Drinking fountain bottle filler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-10	Location:	Nurse Restroom	
Photo:		Manufacturer:	Delta	
		Description:		
		Handwashing Sink		
		Result:	<1.0	ppb
Date Sampled:		3/26/2024	By:	JH
Recommended Action:				


ID:	294-MHE-11	Location:	Custodial A	
Photo:		Manufacturer:	Hoshizaki	
		Description:		
		Ice machine		
		Result:	<1.0	ppb
Date Sampled:		3/26/2024	By:	JH
Recommended Action:				

ID:	294-MHE-12	Location:	Girls Restroom GR1	
Photo:		Manufacturer:	Chicago Faucet Co	
		Description:		
		Left handwashing Sink		
		Result:	<1.0	ppb
Date Sampled:		3/26/2024	By:	JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-13	Location:	Girls Restroom GR1	
Photo:		Manufacturer:	Chicago Faucet Co	
		Description:		
		Left center handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-14	Location:	Girls Restroom GR1	
Photo:		Manufacturer:	Chicago Faucet Co	
		Description:		
		Right center handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-15	Location:	Girls Restroom GR1	
Photo:		Manufacturer:	Chicago Faucet Co	
		Description:		
		Right handwashing Sink		
		Result:	3	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-16	Location:	Room 107	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Drinking Fountain bubbler		
		Result:	1.2	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-17	Location:	Room 107	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-18	Location:	Room 105	
Photo:		Manufacturer:	Chicago Faucet co.	
		Description:		
		Drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
Date Sampled:	3/26/2024	By: JH		
Recommended Action:		Remove from Service		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-19	Location:	Room 105	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Sink		
		Result:	3.5	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-20	Location:	Hall outside Room 106	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Left drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Remove from Service		

ID:	294-MHE-21	Location:	Hall outside Room 106	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Right drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-22	Location:	Room 103	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
Date Sampled:	3/26/2024	By:	JH	
Recommended Action:		Remove from Service		


ID:	294-MHE-23	Location:	Room 103		
Photo:		Manufacturer:	Unknown		
		Description:			
		Sink			
		Result:	8.2	ppb	
		Date Sampled:	3/26/2024	By:	JH
Recommended Action:		Replace Fixture/Unit and Resample			

ID:	294-MHE-24	Location:	Room 101		
Photo:		Manufacturer:	Moen		
		Description:			
		Sink			
		Result:	4.7	ppb	
		Date Sampled:	3/26/2024	By:	JH
Recommended Action:					


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-25	Location:	Room 102	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking Fountain bubbler		
		Result:	3.5	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-26	Location:	Room 102	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.9	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-27	Location:	Room 104	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
Date Sampled:	3/26/2024	By: JH		
Recommended Action:		Remove from Service		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-28	Location:	Room 104	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.4	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-29	Location:	Room 106	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.4	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-30	Location:	Staff Restroom	
Photo:		Manufacturer:	Unknown	
		Description:		
		Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-31	Location:	Room 110	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
	Date Sampled:	3/26/2024	By:	JH
Recommended Action:		Remove from Service		


ID:	294-MHE-32	Location:	Room 110		
Photo:		Manufacturer:	Unknown		
		Description:			
		Sink			
		Result:	22.5	ppb	
			Date Sampled:	3/26/2024	By:
Recommended Action:		Replace Fixture/Unit and Resample			

ID:	294-MHE-33	Location:	Room 112		
Photo:		Manufacturer:	Unknown		
		Description:			
		Sink			
		Result:	4.2	ppb	
			Date Sampled:	3/26/2024	By:
Recommended Action:					


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-34	Location:	Hall by Room 111	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Left drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-35	Location:	Hall by Room 111	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Right drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-36	Location:	Room 114	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Result:	2.3	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-37	Location:	Room 114	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.1	ppb
Date Sampled:		3/26/2024	By:	JH
Recommended Action:				


ID:	294-MHE-38	Location:	Room 116	
Photo:		Manufacturer:	Moen	
		Description:		
		Construction office sink		
		Not 1st draw.		
Result:		2.2	ppb	
Date Sampled:		3/26/2024	By:	JH
Recommended Action:				

ID:	294-MHE-39	Location:	Room 115	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Result:	6.3	ppb
Date Sampled:		3/26/2024	By:	JH
Recommended Action:		Replace Fixture/Unit and Resample		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-40	Location:	Room 115	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.8	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-41	Location:	Room 113	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Not Functional at time of test.		
		Result:	NA	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Remove from Service		

ID:	294-MHE-42	Location:	Room 113	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-43	Location:	Room 109	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Result:	152	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Replace Fixture/Unit and Resample		


ID:	294-MHE-44	Location:	Room 109	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	1.6	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-45	Location:	Boy's Restroom BR1	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-46	Location:	Boy's Restroom BR1		
Photo:		Manufacturer:	Chicago Faucet Co.		
		Description:			
		Left middle handwashing sink			
		Result:	<1.0	ppb	
		Date Sampled:	3/26/2024	By:	JH
Recommended Action:					


ID:	294-MHE-47	Location:	Boy's Restroom BR1		
Photo:		Manufacturer:	Chicago Faucet Co.		
		Description:			
		Right middle handwashing sink			
		Result:	<1.0	ppb	
		Date Sampled:	3/26/2024	By:	JH
Recommended Action:					

ID:	294-MHE-48	Location:	Boy's Restroom BR1		
Photo:		Manufacturer:	Chicago Faucet Co.		
		Description:			
		Right handwashing sink			
		Result:	<1.0	ppb	
		Date Sampled:	3/26/2024	By:	JH
Recommended Action:					


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-49	Location:	Room 212	
Photo:		Manufacturer:	Unknown	
		Description:		
		Handwashing sink		
		Result:	4.3	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-50	Location:	Staff Kitchen Restroom	
Photo:		Manufacturer:	Unknown	
		Description:		
		Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-51	Location:	Hall by Room 209	
Photo:		Manufacturer:	Elkay	
		Description:		
		Drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-52	Location:	Hall by Room 209	
Photo:		Manufacturer:	Elkay	
		Description:		
		Drinking fountain bottle filler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-53	Location:	Boy's Restroom BR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-54	Location:	Boy's Restroom BR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left center handwashing sink		
		Result:	1.9	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-55	Location:	Boy's Restroom BR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right center handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-56	Location:	Boy's Restroom BR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-57	Location:	Girls Restroom GR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-58	Location:	Girls Restroom GR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left center handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-59	Location:	Girls Restroom GR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right center handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-60	Location:	Girls Restroom GR2	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-61	Location:	Girls Restroom GR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-62	Location:	Girls Restroom GR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Middle Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-63	Location:	Girls Restroom GR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right Handwashing Sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-64	Location:	Hall by E2	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Left drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


ID:	294-MHE-65	Location:	Hall by E2	
Photo:		Manufacturer:	Halsey Taylor	
		Description:		
		Right drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-66	Location:	Boy's Restroom BR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-67	Location:	Boy's Restroom BR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Middle handwashing sink		
		Result:	40.7	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Replace Fixture/Unit and Resample		


ID:	294-MHE-68	Location:	Boy's Restroom BR3	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right handwashing sink		
		Result:	<1.0	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:				

ID:	294-MHE-69	Location:	South Vestibule	
Photo:		Manufacturer:	Elkay	
		Description:		
		Drinking fountain bubbler		
		Result:	18.8	ppb
		Date Sampled:	3/26/2024	By: JH
Recommended Action:		Replace Fixture/Unit and Resample		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-70	Location:	South Vestibule	
Photo:		Manufacturer:	Elkay	
		Description:		
		Drinking fountain bottle filler		
		Result:	<1.0	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:				


ID:	294-MHE-71	Location:	Room 209	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	2.5	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:				

ID:	294-MHE-72	Location:	Room 209	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink Sprayer		
		Result:	<4.0	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:		Replace Fixture/Unit and Resample		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District

ID:	294-MHE-73	Location:	Room 205	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Left sink		
		Result:	306	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:		Replace Fixture/Unit and Resample		


ID:	294-MHE-74	Location:	Room 205	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Center sink		
		Result:	330	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:		Replace Fixture/Unit and Resample		

ID:	294-MHE-75	Location:	Room 205	
Photo:		Manufacturer:	Chicago Faucet Co.	
		Description:		
		Right sink		
		Result:	71.9	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:		Replace Fixture/Unit and Resample		


Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District


ID:	294-MHE-76	Location:	Hall by Library	
Photo:		Manufacturer:	EBCO	
		Description:		
		Left drinking fountain bubbler		
		Result:	53.5	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:		Replace Fixture/Unit and Resample		

ID:	294-MHE-77	Location:	Hall by Library	
Photo:		Manufacturer:	EBCO	
		Description:		
		Right drinking fountain bubbler		
		Result:	<1.0	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:				

ID:	294-MHE-78	Location:	Library	
Photo:		Manufacturer:	Unknown	
		Description:		
		Sink		
		Result:	3.3	ppb
		Date Sampled:	1/15/2024	By: JEA
Recommended Action:				

Drinking Water Assessment
Meremac Heights Elementary School
Fox C-6 School District

ID:	294-MHE-79	Location:	Room 110	
Photo:		Manufacturer:	Unknown	
		Description:		
		Drinking fountain bubbler		
		Not functional at time of test.		
		Result:	NA	ppb
Date Sampled:	1/15/2024	By:	JEA	
Recommended Action:		Remove from Service		

ID:	294-MHE-80	Location:	Room 110		
Photo:		Manufacturer:	Unknown		
		Description:			
		Sink			
		Result:	6.9	ppb	
		Date Sampled:	1/15/2024	By:	JEA
Recommended Action:		Replace Fixture/Unit and Resample			

April 25, 2024

Justin Arnold
Occu-Tec
2604 NE Industrial Drive
Suite 230
North Kansas City, MO 64117
TEL: (816) 810-3276
FAX:



Illinois	100226
Illinois	1004652024-2
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: 923294 MHE

WorkOrder: 24032135

Dear Justin Arnold:

TEKLAB, INC received 33 samples on 3/27/2024 9:00:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley
Project Manager
(618)344-1004 ex 44
patrickriley@teklabinc.com

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	8
Chain of Custody	Appended

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

Cooler Receipt Temp: N/A °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Occu-Tec**Work Order:** 24032135**Client Project:** 923294 MHE**Report Date:** 25-Apr-24

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Illinois	IEPA	1004652024-2	NELAP	4/30/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2025	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2025	Collinsville
Missouri	MDNR	00930		10/31/2026	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
24032135-001A	293-MHE-01	NELAP		1.0	1.8	µg/L	1	04/23/2024 14:41	03/26/2024 11:24
24032135-002A	293-MHE-02	NELAP		1.0	5.4	µg/L	1	04/23/2024 14:52	03/26/2024 11:24
24032135-003A	293-MHE-03	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:06	03/26/2024 11:25
24032135-004A	293-MHE-04	NELAP		1.0	2.1	µg/L	1	04/23/2024 15:10	03/26/2024 11:27
24032135-005A	293-MHE-05	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:14	03/26/2024 11:28
24032135-006A	293-MHE-06	NELAP		1.0	1.5	µg/L	1	04/23/2024 15:17	03/26/2024 11:30
24032135-007A	293-MHE-07	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:28	03/26/2024 11:36
24032135-008A	293-MHE-08	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:32	03/26/2024 11:36
24032135-009A	293-MHE-09	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:36	03/26/2024 11:36
24032135-010A	293-MHE-10	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:39	03/26/2024 11:40
24032135-011A	293-MHE-11	NELAP		1.0	< 1.0	µg/L	1	04/23/2024 15:54	03/26/2024 11:42
24032135-012A	293-MHE-12	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 13:15	03/26/2024 11:44
24032135-013A	293-MHE-13	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 13:39	03/26/2024 11:44
24032135-014A	293-MHE-14	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 13:42	03/26/2024 11:44
24032135-015A	293-MHE-15	NELAP		1.0	3.0	µg/L	5	04/24/2024 13:46	03/26/2024 11:44
24032135-016A	293-MHE-16	NELAP		1.0	1.2	µg/L	5	04/24/2024 13:49	03/26/2024 11:46
24032135-017A	293-MHE-17	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 13:53	03/26/2024 11:46
24032135-018A	293-MHE-19	NELAP		1.0	3.5	µg/L	5	04/24/2024 13:56	03/26/2024 11:48
24032135-019A	293-MHE-21	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 13:59	03/26/2024 11:50
24032135-020A	293-MHE-23	NELAP		1.0	8.2	µg/L	5	04/24/2024 14:03	03/26/2024 11:54
24032135-021A	293-MHE-24	NELAP		1.0	4.7	µg/L	5	04/24/2024 14:06	03/26/2024 11:56
24032135-022A	293-MHE-25	NELAP		1.0	3.5	µg/L	5	04/24/2024 14:10	03/26/2024 11:57
24032135-023A	293-MHE-26	NELAP		1.0	1.9	µg/L	5	04/24/2024 14:23	03/26/2024 11:58
24032135-024A	293-MHE-28	NELAP		1.0	1.4	µg/L	5	04/24/2024 14:37	03/26/2024 12:03
24032135-025A	293-MHE-29	NELAP		1.0	1.4	µg/L	5	04/24/2024 14:40	03/26/2024 12:06
24032135-026A	293-MHE-30	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 14:44	03/26/2024 12:08
24032135-027A	293-MHE-32	NELAP		1.0	22.5	µg/L	5	04/24/2024 14:47	03/26/2024 12:10
24032135-028A	293-MHE-33	NELAP		1.0	4.2	µg/L	5	04/24/2024 19:19	03/26/2024 12:14
24032135-029A	293-MHE-34	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 19:24	03/26/2024 12:16
24032135-030A	293-MHE-35	NELAP		1.0	< 1.0	µg/L	5	04/24/2024 19:29	03/26/2024 12:16
24032135-031A	293-MHE-36	NELAP		1.0	2.3	µg/L	5	04/24/2024 19:39	03/26/2024 12:18
24032135-032A	293-MHE-37	NELAP		1.0	1.1	µg/L	1	04/24/2024 11:00	03/26/2024 12:18
24032135-033A	293-MHE-38	NELAP		1.0	2.2	µg/L	1	04/24/2024 11:04	03/26/2024 12:20

Client: Occu-Tec

Work Order: 24032135

Client Project: 923294 MHE

Report Date: 25-Apr-24

Carrier: Craig McKinney

Received By: WAO

Completed by:

On:

27-Mar-24

Amber Dilallo

Reviewed by:

On:

28-Mar-24

Ellie Hopkins

Pages to follow: Chain of custody

Extra pages included

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>	Temp °C N/A
Type of thermal preservation?	None <input checked="" type="checkbox"/>	Ice <input type="checkbox"/>	Blue Ice <input type="checkbox"/>	Dry Ice <input type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Reported field parameters measured:	Field <input type="checkbox"/>	Lab <input type="checkbox"/>	NA <input checked="" type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials <input checked="" type="checkbox"/>
Water - TOX containers have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No TOX containers <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	NA <input type="checkbox"/>
NPDES/CWA TCN interferences checked/treated in the field?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA <input checked="" type="checkbox"/>

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory. - amberdilallo - 3/27/2024 4:26:33 PM

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 2 of 7 Workorder # 24032135

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: OCCU-TEC Inc.				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C															
Address: 2604 NE Industrial Drive Suite 230				Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <u>FOR LAB USE ONLY</u>															
City/State/Zip: North Kansas City, MO 64117				LAB NOTES:															
Contact: Justin Arnold Phone: 816-810-3276				Client Comments: Pb RL <5.0 ppb CHECK															
Email: jarnold@occutech.com Fax: 816-994-3478																			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																			
Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																			
Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																			
PROJECT NAME/NUMBER		SAMPLE COLLECTOR'S NAME		# and Type of Containers				INDICATE ANALYSIS REQUESTED											
923294		Jay Hurst																	
RESULTS REQUESTED		BILLING INSTRUCTIONS																	
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge)		<input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)																	
Lab Use Only		Sample ID		Date/Time Sampled		Matrix													
24032135-011		293-MHE- 12		3/26/2024 - 1144		Drinking Water		X											
013		293-MHE- 13		3/26/2024 - 1144		Drinking Water		X											
014		293-MHE- 14		3/26/2024 - 1144		Drinking Water		X											
015		293-MHE- 15		3/26/2024 - 1144		Drinking Water		X											
016		293-MHE- 16		3/26/2024 - 1146		Drinking Water		X											
017		293-MHE- 17		3/26/2024 - 1146		Drinking Water		X											
018		293-MHE- 19		3/26/2024 - 1148		Drinking Water		X											
019		293-MHE- 21		3/26/2024 - 1150		Drinking Water		X											
020		293-MHE- 23		3/26/2024 - 1154		Drinking Water		X											
021		293-MHE- 24		3/26/2024 - 1156		Drinking Water		X											
022		293-MHE- 25		3/26/2024 - 1157		Drinking Water		X											
Relinquished By		Date/Time		Received By				Date/Time											
[Signature]		3/27/24 6:30		[Signature]				3/27/24 06:30											
		3/27/24 09:00		Whitney Dupa				3/27/24 9:00											

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 1 of 7 Workorder # 24032135

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: OCCU-TEC Inc, Address: 2604 NE Industrial Drive Suite 230 City/State/Zip: North Kansas City, MO 64117 Contact: Justin Arnold Phone: 816-810-3276 Email: jarnold@occutech.com Fax: 816-994-3478				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Client Comments: Pb RL <5.0 ppb			
PROJECT NAME/NUMBER 923294		SAMPLE COLLECTOR'S NAME Jay Hurst		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS		UNP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other Lead by 200.8			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
24032135-23	293-MHE- 26	3/26/2024 - 1158	Drinking Water	X			✓
024	293-MHE- 28	3/26/2024 - 1203	Drinking Water	X			✓
025	293-MHE- 29	3/26/2024 - 1206	Drinking Water	X			✓
026	293-MHE- 30	3/26/2024 - 1208	Drinking Water	X			✓
027	293-MHE- 32	3/26/2024 - 1210	Drinking Water	X			✓
028	293-MHE- 33	3/26/2024 - 1214	Drinking Water	X			✓
029	293-MHE- 34	3/26/2024 - 1216	Drinking Water	X			✓
030	293-MHE- 35	3/26/2024 - 1216	Drinking Water	X			✓
031	293-MHE- 36	3/26/2024 - 1218	Drinking Water	X			✓
032	293-MHE- 37	3/26/2024 - 1218	Drinking Water	X			✓
033	293-MHE- 38	3/26/2024 - 1220	Drinking Water	X			✓
Relinquished By		Date/Time		Received By		Date/Time	
[Signature]		3/27/24 6:30		[Signature]		3/27/24 0630	
		3/27/24 0900				3/27/24 900	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

May 02, 2024

Justin Arnold
Occu-Tec
2604 NE Industrial Drive
Suite 230
North Kansas City, MO 64117
TEL: (816) 810-3276
FAX:



Illinois	100226
Illinois	1004652024-2
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: 923294 MHE

WorkOrder: 24032136

Dear Justin Arnold:

TEKLAB, INC received 40 samples on 3/27/2024 9:00:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Patrick Riley
Project Manager
(618)344-1004 ex 44
patrickriley@teklabinc.com

Client: Occu-Tec

Work Order: 24032136

Client Project: 923294 MHE

Report Date: 02-May-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	8
Chain of Custody	Appended

Client: Occu-Tec**Work Order:** 24032136**Client Project:** 923294 MHE**Report Date:** 02-May-24**Abbr Definition**

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Occu-Tec

Work Order: 24032136

Client Project: 923294 MHE

Report Date: 02-May-24

Qualifiers

- | | |
|---|--|
| # - Unknown hydrocarbon | B - Analyte detected in associated Method Blank |
| C - RL shown is a Client Requested Quantitation Limit | E - Value above quantitation range |
| H - Holding times exceeded | I - Associated internal standard was outside method criteria |
| J - Analyte detected below quantitation limits | M - Manual Integration used to determine area response |
| ND - Not Detected at the Reporting Limit | R - RPD outside accepted recovery limits |
| S - Spike Recovery outside recovery limits | T - TIC(Tentatively identified compound) |
| X - Value exceeds Maximum Contaminant Level | |



Case Narrative

<http://www.teklabinc.com/>

Client: Occu-Tec

Work Order: 24032136

Client Project: 923294 MHE

Report Date: 02-May-24

Cooler Receipt Temp: N/A °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com

Client: Occu-Tec**Work Order:** 24032136**Client Project:** 923294 MHE**Report Date:** 02-May-24

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Illinois	IEPA	1004652024-2	NELAP	4/30/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2025	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2025	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2025	Collinsville
Missouri	MDNR	00930		10/31/2026	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville

Client: Occu-Tec
Client Project: 923294 MHE
Matrix: DRINKING WATER

Work Order: 24032136
Report Date: 02-May-24

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
24032136-001A	293-MHE-39	NELAP		1.0	6.3	µg/L	5	04/30/2024 14:19	03/26/2024 12:22
24032136-002A	293-MHE-40	NELAP		1.0	1.8	µg/L	1	04/26/2024 18:44	03/26/2024 12:22
24032136-003A	293-MHE-42	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 18:55	03/26/2024 12:25
24032136-004A	293-MHE-43	NELAP		10.0	152	µg/L	50	05/01/2024 7:16	03/26/2024 12:28
24032136-005A	293-MHE-44	NELAP		1.0	1.6	µg/L	1	04/26/2024 18:59	03/26/2024 12:28
24032136-006A	293-MHE-45	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:02	03/26/2024 12:32
24032136-007A	293-MHE-46	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:17	03/26/2024 12:32
24032136-008A	293-MHE-47	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:21	03/26/2024 12:32
24032136-009A	293-MHE-48	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:24	03/26/2024 12:32
24032136-010A	293-MHE-49	NELAP		1.0	4.3	µg/L	1	04/26/2024 19:28	03/26/2024 12:36
24032136-011A	293-MHE-50	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:32	03/26/2024 12:38
24032136-012A	293-MHE-51	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:43	03/26/2024 12:40
24032136-013A	293-MHE-52	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:46	03/26/2024 12:40
24032136-014A	293-MHE-53	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 19:50	03/26/2024 12:43
24032136-015A	293-MHE-54	NELAP		1.0	1.9	µg/L	1	04/26/2024 20:05	03/26/2024 12:43
24032136-016A	293-MHE-55	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:08	03/26/2024 12:43
24032136-017A	293-MHE-56	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:12	03/26/2024 12:43
24032136-018A	293-MHE-57	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:16	03/26/2024 12:45
24032136-019A	293-MHE-58	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:19	03/26/2024 12:45
24032136-020A	293-MHE-59	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:23	03/26/2024 12:45
24032136-021A	293-MHE-60	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:27	03/26/2024 12:45
24032136-022A	293-MHE-61	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:38	03/26/2024 12:48
24032136-023A	293-MHE-62	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:52	03/26/2024 12:48
24032136-024A	293-MHE-63	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 20:56	03/26/2024 12:48
24032136-025A	293-MHE-64	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 21:00	03/26/2024 12:50
24032136-026A	293-MHE-65	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 21:03	03/26/2024 12:50
24032136-027A	293-MHE-66	NELAP		1.0	< 1.0	µg/L	1	04/26/2024 21:07	03/26/2024 12:52
24032136-028A	293-MHE-67	NELAP		1.0	40.7	µg/L	5	04/30/2024 14:52	03/26/2024 12:52
24032136-029A	293-MHE-68	NELAP		1.0	< 1.0	µg/L	5	04/30/2024 14:56	03/26/2024 12:52
24032136-030A	293-MHE-69	NELAP		1.0	18.8	µg/L	5	04/30/2024 15:00	03/26/2024 12:54
24032136-031A	293-MHE-70	NELAP		1.0	< 1.0	µg/L	5	04/30/2024 15:04	03/26/2024 12:54
24032136-032A	293-MHE-71	NELAP		1.0	2.5	µg/L	5	04/30/2024 15:08	03/26/2024 12:56
24032136-033A	293-MHE-72	NELAP		4.0	< 4.0	µg/L	20	05/01/2024 7:20	03/26/2024 12:56
24032136-034A	293-MHE-73	NELAP		1.0	306	µg/L	5	04/30/2024 15:16	03/26/2024 13:00
24032136-035A	293-MHE-74	NELAP		1.0	330	µg/L	5	04/30/2024 15:45	03/26/2024 13:00
24032136-036A	293-MHE-75	NELAP		1.0	71.9	µg/L	5	04/30/2024 15:49	03/26/2024 13:00
24032136-037A	293-MHE-76	NELAP		1.0	53.5	µg/L	5	04/30/2024 15:53	03/26/2024 13:02
24032136-038A	293-MHE-77	NELAP		1.0	< 1.0	µg/L	5	04/30/2024 15:20	03/26/2024 13:02
24032136-039A	293-MHE-78	NELAP		1.0	3.3	µg/L	5	04/30/2024 15:57	03/26/2024 13:04
24032136-040A	293-MHE-80	NELAP		1.0	6.9	µg/L	5	04/30/2024 16:01	03/26/2024 13:10



Receiving Check List

<http://www.teklabinc.com/>

Client: Occu-Tec

Work Order: 24032136

Client Project: 923294 MHE

Report Date: 02-May-24

Carrier: Craig McKinney

Received By: WAO

Completed by:

On:

27-Mar-24

Amber Dilallo

Reviewed by:

On:

28-Mar-24

Ellie Hopkins

Pages to follow:

Chain of custody

4

Extra pages included

0

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Temp °C N/A

Type of thermal preservation?

None ☒

Ice ☐

Blue Ice ☐

Dry Ice ☐

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Reported field parameters measured:

Field ☐

Lab ☐

NA ☒

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

Water – at least one vial per sample has zero headspace?

Yes ☐

No ☐

No VOA vials ☒

Water - TOX containers have zero headspace?

Yes ☐

No ☐

No TOX containers ☒

Water - pH acceptable upon receipt?

Yes ☒

No ☐

NA ☐

NPDES/CWA TCN interferences checked/treated in the field?

Yes ☐

No ☐

NA ☒



Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory. - amberdilallo - 3/27/2024 4:41:32 PM

CHAIN OF CUSTODY

Pg 4 of 7 Workorder # 24032136

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: OCCU-TEC Inc, Address: 2604 NE Industrial Drive Suite 230 City/State/Zip: North Kansas City, MO 64117 Contact: Justin Arnold Phone: 816-810-3276 Email: jarnold@occutech.com Fax: 816-994-3478				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input checked="" type="checkbox"/> NO ICE <u>N/A</u> °C Preserved in: <input checked="" type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Client Comments: Pb RL <5.0 ppb			
PROJECT NAME/NUMBER 923294		SAMPLE COLLECTOR'S NAME Jay Hurst		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS		UNP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other Lead by 200.8			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
24032136-001	293-MHE- 39	3/26/2024 - 1222	Drinking Water	X			✓
002	293-MHE- 40	3/26/2024 - 1222	Drinking Water	X			✓
003	293-MHE- 42	3/26/2024 - 1225	Drinking Water	X			✓
004	293-MHE- 43	3/26/2024 - 1228	Drinking Water	X			✓
005	293-MHE- 44	3/26/2024 - 1228	Drinking Water	X			✓
006	293-MHE- 45	3/26/2024 - 1232	Drinking Water	X			✓
007	293-MHE- 46	3/26/2024 - 1232	Drinking Water	X			✓
008	293-MHE- 47	3/26/2024 - 1232	Drinking Water	X			✓
009	293-MHE- 48	3/26/2024 - 1232	Drinking Water	X			✓
010	293-MHE- 49	3/26/2024 - 1236	Drinking Water	X			✓
011	293-MHE- 50	3/26/2024 - 1238	Drinking Water	X			✓
Relinquished By		Date/Time		Received By		Date/Time	
		3/27/24 6:30				3/27/24 0630	
		3/27/24 0900				3/27/24 0900	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 5 of 7 Workorder # 24632134

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005



Client: OCCU-TEC Inc, Address: 2604 NE Industrial Drive Suite 230 City/State/Zip: North Kansas City, MO 64117 Contact: Justin Arnold Phone: 816-810-3276 Email: jarnold@occutech.com Fax: 816-994-3478				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Client Comments: Pb RL <5.0 ppb			
PROJECT NAME/NUMBER 923294		SAMPLE COLLECTOR'S NAME Jay Hurst		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS		UNP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other Lead by 200.8			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
24032134-012	293-MHE-51	3/26/2024 - 1240	Drinking Water	X			
013	293-MHE-52	3/26/2024 - 1240	Drinking Water	X			
014	293-MHE-53	3/26/2024 - 1243	Drinking Water	X			
015	293-MHE-54	3/26/2024 - 1243	Drinking Water	X			
016	293-MHE-55	3/26/2024 - 1243	Drinking Water	X			
017	293-MHE-56	3/26/2024 - 1243	Drinking Water	X			
018	293-MHE-57	3/26/2024 - 1245	Drinking Water	X			
019	293-MHE-58	3/26/2024 - 1245	Drinking Water	X			
020	293-MHE-59	3/26/2024 - 1245	Drinking Water	X			
021	293-MHE-60	3/26/2024 - 1245	Drinking Water	X			
022	293-MHE-61	3/26/2024 - 1248	Drinking Water	X			
Relinquished By		Date/Time		Received By		Date/Time	
[Signature]		3/27/24 6:30		[Signature]		3/27/24 0630	
[Signature]		3/27/24 0900		[Signature]		3/27/24 900	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 6 of 7 Workorder # 24032134

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: OCCU-TEC Inc. Address: 2604 NE Industrial Drive Suite 230 City/State/Zip: North Kansas City, MO 64117 Contact: Justin Arnold Phone: 816-810-3276 Email: jarnold@occutec.com Fax: 816-994-3478				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD <u>FOR LAB USE ONLY</u> LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Client Comments: Pb RL <5.0 ppb			
PROJECT NAME/NUMBER 923294		SAMPLE COLLECTOR'S NAME Jay Hurst		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other _____ <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS		UNP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other Lead by 200.8			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
24032124523	293-MHE- 62	3/26/2024 - 1248	Drinking Water	X			
024	293-MHE- 63	3/26/2024 - 1248	Drinking Water	X			
025	293-MHE- 64	3/26/2024 - 1250	Drinking Water	X			
026	293-MHE- 65	3/26/2024 - 1250	Drinking Water	X			
027	293-MHE- 66	3/26/2024 - 1252	Drinking Water	X			
028	293-MHE- 67	3/26/2024 - 1252	Drinking Water	X			
029	293-MHE- 68	3/26/2024 - 1252	Drinking Water	X			
030	293-MHE- 69	3/26/2024 - 1254	Drinking Water	X			
031	293-MHE- 70	3/26/2024 - 1254	Drinking Water	X			
032	293-MHE- 71	3/26/2024 - 1256	Drinking Water	X			
033	293-MHE- 72	3/26/2024 - 1256	Drinking Water	X			
Relinquished By		Date/Time		Received By		Date/Time	
		3/27/24 630				3/27/24 0630	
		3/27/24 0900				3/27/24 900	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

CHAIN OF CUSTODY

Pg 7 of 7 Workorder # 24032134

TEKLAB INC. 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

Client: OCCU-TEC Inc. Address: 2604 NE Industrial Drive Suite 230 City/State/Zip: North Kansas City, MO 64117 Contact: Justin Arnold Phone: 816-810-3276 Email: jarnold@occutech.com Fax: 816-994-3478				Samples on: <input type="checkbox"/> ICE <input type="checkbox"/> BLUE ICE <input type="checkbox"/> NO ICE _____ °C Preserved in: <input type="checkbox"/> LAB <input type="checkbox"/> FIELD FOR LAB USE ONLY LAB NOTES:			
Are these samples known to be involved in litigation? If yes, a surcharge will apply: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are these samples known to be hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are there any required reporting limits to be met on the requested analysis? If yes, please provide limits in the comment section: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Client Comments: Pb RL <5.0 ppb			
PROJECT NAME/NUMBER 923294		SAMPLE COLLECTOR'S NAME Jay Hurst		# and Type of Containers		INDICATE ANALYSIS REQUESTED	
RESULTS REQUESTED <input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other <input type="checkbox"/> 3 Day (50% Surcharge)		BILLING INSTRUCTIONS		UNP HNO3 NaOH H2SO4 HCL MeOH NaHSO4 TSP Other Lead by 200.8			
Lab Use Only	Sample ID	Date/Time Sampled	Matrix				
24032134-034	293-MHE-73	3/26/2024 - 1300	Drinking Water	X			✓
035	293-MHE-74	3/26/2024 - 1300	Drinking Water	X			✓
036	293-MHE-75	3/26/2024 - 1300	Drinking Water	X			✓
037	293-MHE-76	3/26/2024 - 1302	Drinking Water	X			✓
038	293-MHE-77	3/26/2024 - 1302	Drinking Water	X			✓
039	293-MHE-78	3/26/2024 - 1304	Drinking Water	X			✓
040	293-MHE-80	3/26/2024 - 1310	Drinking Water	X			✓
	293-MHE-	3/26/2024 -	Drinking Water	X			✓
	293-MHE-	3/26/2024 -	Drinking Water	X			✓
	293-MHE-	3/26/2024 -	Drinking Water	X			✓
	293-MHE-	3/26/2024 -	Drinking Water	X			✓
Relinquished By		Date/Time		Received By		Date/Time	
[Signature]		3/27/24 16:30		[Signature]		3/27/24 0630	
[Signature]		3/27/24 0900		[Signature]		3/27/24 900	

*The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions